

**To:** Cirian, Mike[Cirian.Mike@epa.gov]  
**Cc:** Gunnar Emilsson[EmilssonGR@cdmsmith.com]  
**From:** Sanchez, Brian  
**Sent:** Fri 2/24/2017 7:26:18 PM  
**Subject:** RE: CFAC SAP Modification #9

Will do, Mike.

Brian

**From:** Cirian, Mike  
**Sent:** Friday, February 24, 2017 12:20 PM  
**To:** Sanchez, Brian <sanchez.brian@epa.gov>  
**Cc:** Gunnar Emilsson <EmilssonGR@cdmsmith.com>  
**Subject:** FW: CFAC SAP Modification #9

Hi Brian,

Here is the Mod I talked to you about. Please let me know if you have any questions or concerns.

Thanks

Mike

Mike Cirian, PE

Libby On-site Project Manager

US EPA

108 East 9th Street

Libby, MT 59923

(406) 293-6194 Office

**From:** Michael Ritorto [<mailto:mritorto@rouxinc.com>]  
**Sent:** Tuesday, February 21, 2017 3:50 PM  
**To:** Cirian, Mike <[Cirian.Mike@epa.gov](mailto:Cirian.Mike@epa.gov)>  
**Cc:** Hoogerheide, Roger <[Hoogerheide.Roger@epa.gov](mailto:Hoogerheide.Roger@epa.gov)>; [John.Stroiazza@glencore-ca.com](mailto:John.Stroiazza@glencore-ca.com);  
Steve Wright - CFAC <[swright@cfaluminum.com](mailto:swright@cfaluminum.com)>; [lidewitt@mt.gov](mailto:lidewitt@mt.gov); [cowen@mt.gov](mailto:cowen@mt.gov);  
[repinedl@cdmsmith.com](mailto:repinedl@cdmsmith.com); Andrew Baris <[abaris@rouxinc.com](mailto:abaris@rouxinc.com)>; Laura Jensen  
<[ljensen@rouxinc.com](mailto:ljensen@rouxinc.com)>  
**Subject:** CFAC SAP Modification #9

Hello Mike,

Please see the attached SAP Modification #9 which describes additional sampling that CFAC/Roux is proposing to complete during the next groundwater and surface water sampling event. Please let me know if you have any questions.

**Michael Ritorto**

**Senior Hydrogeologist | ROUX ASSOCIATES, INC.**

209 Shafter Street | Islandia, New York 11749

Direct: (631)630-2370 | Mobile: (631)445-4576

Email: [mritorto@rouxinc.com](mailto:mritorto@rouxinc.com) | Website: [www.rouxinc.com](http://www.rouxinc.com)

*We solve our clients' most challenging environmental problems.*

Follow us on:     Check out our blog: 